


Concrete Slab Cross Section Detail



SL82 Mesh

150mm 32MPa Concrete

50mm crusher dust compacted to 95%

Sub base compacted prior to addition of crusher dust layer

REV	DESCRIPTION	DATE	APPROVED
Α	REVADESCRIPTION	DD/MM/Y	APPROVED
В	REVBDESCRIPTION	DD/MM/Y	APPROVED
С	REVCDESCRIPTION	DD/MM/Y	APPROVED
D	REVDDESCRIPTION	DD/MM/Y	APPROVED
ш	REVEDESCRIPTION	DD/MM/Y	APPROVED

WEST WIMMERA SHIBE COUNCIL

WEST WIMMERA SHIRE COUNCIL

PO BOX 201 EDENHOPE 3318
PH (03) 5585 9900 FAX (03) 5585 9950
DESIGNED & PREPARED BY THE INFRASTRUCTURE,
DEVELOPMENT & WORKS DEPARTMENT

LAKE WALLACE - BOAT RAMP EXTENSION		
PLAN		
PLAN		

DRAWN BY: C.W	7/1/2022		
CHECKED BY: -	DD/MM/YY		
SCALE: NTS			
JOB NUMBER	SHEET	Size	
WORK ORDER	3 of 3	A3	
	0 0. 0		